# BEST AVAILABLE COPY

### CLAIMS

1. A protein crystal comprising the processivity clamp factor of DNA polymerase and a peptide of about 3 to about 30 amino acids, in particular of about 16 amino acids, said peptide comprising all or part of the processivity clamp factor binding sequence of a processivity clamp factor interacting protein, such as prokaryotic Pol I, Pol II, Pol III, Pol IV, Pol V, MutS, ligase I,  $\alpha$  subunit of DNA polymerase, UmuD or UmuD', or eukaryotic pol  $\epsilon$ , pol  $\delta$ , pol  $\eta$ , pol  $\iota$ , pol  $\kappa$ .

10

5

2. A protein crystal according to claim 1, wherein the processivity clamp factor of DNA polymerase is the  $\beta$  subunit of DNA polymerase, in particular the  $\beta$  subunit of DNA polymerase III of *Escherichia coli*, and the peptide has the following sequence:

### VTLLDPQMERQLVLGL (SEQ ID NO: 1)

15

3. A protein crystal according to claim 1 or 2, comprising the  $\beta$  subunit of DNA polymerase III of *Escherichia coli* and the peptide of SEQ ID NO: 1, said crystal being triclinic and its cell dimensions being approximately a = 41.23 Å, b = 65.22 Å, c = 73.38 Å,  $\alpha = 73.11^{\circ}$ ,  $\beta = 85.58^{\circ}$ ,  $\gamma = 85.80^{\circ}$ .

20

4. A protein crystal according to claim 3, characterized by the atomic coordinates such as obtained by the X-ray diffraction of said crystal, said atomic coordinates being represented in Figure 1.

25

5. A protein crystal according to claim 3 or 4, characterized by the atomic coordinates representing the peptide and the peptide binding site of the  $\beta$  subunit of DNA polymerase III of *Escherichia coli*, and being as follows:

30	
35	

40

ATOM 4045 LEU B 155 5.874 22.109 В ATOM 4046 CA **LEU B 155** 6.029 16.359 22.087 1.00 1.00 В ATOM 4047 СВ LEU B 155 5.055 15.686 23.064 1.00 1.00 В MOTA 404B CG LEU B 155 5.260 16.046 24.536 1.00 1.00 В ATOM 4049 CD1 LEU B 155 4.256 15.237 25.360 1.00 1.00 В ATOM 4050 CD2 LEU B 155 6.686 15.757 24.980 1.00 1.00 в ATOM 4051 **LEU B 155** 5.808 15.776 В 20.682 1.00 1.00 ATOM 4052 0 LEU B 155 6.177 14.613 20.431 1.00 MOTA 4177 N THR B 172 9.112 11.246 22.902 1.00 1.00 В MOTA 4178 CA THR B 172 8.212 10,730 23.917 1.00 В 1.00 ATOM 4179 CB THR B 172 8.776 11.014 1.00 1.00 В 25.344 ATOM 4180 THR B 172 7.931 10.400 1.00 В 26.328 1.00 MOTA 4181 CG2 THR B 172 8.870 12,532 1.00 1.00 25.619 В ATOM 4182 С THR B 172 6.805 11.269 23,709 1.00 1.00 В 0 MOTA THR B 172 4183 6.588 12.352 23.145 1.00 1.00 В ATOM N 1.00 4192 **GLY B 174** 4.562 10.770 26.397 1.00

S S
AVAIL
ABLE
Ado

	MOTA	4193	CA	GI.V	B 174	3.992	10 745	22 727	1 00		_	
	MOTA	4194			B 174	3.762						
	MOTA	4199			B 174	3.667			1.00			
	MOTA	4196			B 175				1.00			
5	ATOM	4197			B 175	3.650	8.349		1.00			
_	MOTA	4198			B 175	3.440	6.953		1.00			
	ATOM					2.313	6.309		1.00			
	ATOM	4200			B 175 B 175	0.992	6.997		1.00			
						0.106	7.435		1.00			
10	MOTA	4201			B 175	0.420	7.255		1.00		В	
. 10	MOTA	4202			B 175	-0.763	7.817	28.170	1.00	1.00	В	
*	MOTA	4203			B 175	-0.977	7.938	26.875	1.00	1.00	В	
	ATOM	4204			B 175	4.706	6.135	27.641	1.00	1.00	B	
	ATOM	4205			B 175	4.990	5.212	28.403	1.00	1.00	В	
	MOTA	4206	N	ARG	B 176	5.481	6.461	26.617	1.00	18.76	В	
15	MOTA	4207	CA	ARG	B 176	6.711	5.768	26.422		18.30	В	•
	MOTA	4208	CB	ARG	B 176	6.575	4.633	25.398		19.53	В	•
	ATOM	. 4209	CG	ARG	B 176	6.329	5.094	23.954		22.88	B	
*	MOTA	4210	CD	ARG	B 176		4.888	23.657		22.11	В	
	ATOM	4211	NE	ARG.	B 176	4.435	5.312	22.314		22.09	В	
20	ATOM	4212	CZ		B 176	4.555	4.591	21.202		20.17	В	
	NOTA	4213	NHI		B 176	5.159	3.403	21.213		17.04	B	
	ATOM	4214	NH2		B 176	3.914	4.977	20.120		20.02		
	ATOM	4215	C		B 176	7.684	6.807	25.902			B	•
	ATOM	4216	ō		B 176	7.255	7.860			17.30	В	
25	ATOM	4217	Ñ		B 177	8.957		25.374		18.10	В.	
	ATOM	4218	CA		B 177		6.504	26.080		17.97	В	
	ATOM	4219	CB			10.049	7.360	25.633		17.85	В	
	ATOM	4220	CG		B 177 B 177	10.664	8.095	26.827		18.29	В.	
						11.921	8.955	26.611		16.28	В	
30	MOTA	4221		LEU		11.819	10.163	27.559		19.52	В	
50	ATOM	4222		LEU		13.191	8.172	26.839		19.12	В	
	ATOM	4223	C		B 177	11.110	6.517	24.964	1.00	18.45	В	
	MOTA	4224	0		B 177	11.291	5.329	25.281	1.00	18.33	В	
	ATOM	4710	N		B 242	11.254	17.279	27.890	1.00	1.00	В	
35	ATOM	4711	CD		B 242	9.987	<u>1</u> 6.826	27.286	1.00	1.00	В	•
55	MOTA	4712	CA		B 242	11.660	16.404	28.997	1.00	1.00	В	
	MOTA	4713	CB		B 242	10.688	15.230	28.874	1.00	1.00	В	
	ATOM	4714	CG	PRO	B 242	9.448	15.869	28.336	1.00	1.00	В	
	MOTA	4715	С	PRO	B 242	13.124	15.947	28.987	1.00	1.00	В	
40	ATOM	4716	0	PRO	B 242	13.728	15.748	27.925	1.00	1.00	В	
40	ATOM	4748	N	ARG	B 246	16.133	11.840	33.560	1.00	1.00	В	
	MOTA	4749	CA	ARG	B 246	15.239	11.808	34.707	1.00	1.00	В	
	ATOM	4750	CB	ARG :	B 246	14.755	13.227	34.984	1.00	1.00	В	
	ATOM	4751	CG	ARG	B 246	15.880	14.252	35.113	1.00	1.00	В	•
	ATOM	4752	CD	ARG :	B 246	16.443	14.295	36.529	1.00	1.00	- B	
45	ATOM	4753	NB	ARG :	B 246	15.374	14.318	37.524	1.00	1.00	В	
	ATOM	4754	CZ	ARG :	B 246	14.316	15.126	37.477	1.00	1.00	В	
	MOTA	4755	NH1	ARG 1	B 246	14.169	15.992	36.481	1.00	1.00	, B	
	ATOM	4756		ARG I		13.396	15.067	38.430	1.00	1.00	В	
	ATOM	4757	C		B 246	14.022	10.889	34.566	1.00	1.00	В	
50	ATOM	4758	Ο.		B 246	13.384	10.536	35.560	1.00	1.00	В	
	MOTA	4759	N		B 247	13.695	10.532	33.327	1.00	1.00	В	
	ATOM	4760		VAL		12.553	9.675	33.018	1.00	1.00		
	MOTA	4761	CB		3 247	12.061	9.942	31.585			B	
	ATOM	4762		VAL 1		10.930	8.991	31.216	1.00	1.00		
55	MOTA	4763		VAL		11.624	11.391	31.462		1.00	В	
*	ATOM	4764	c		3 247	12.962			1.00	1.00	В	
	ATOM	4765	ō		3 247	12.125	8.218	33.133	1.00	1.00	В	
	ATOM	4996	N		3 278		7.334	33.308	1.00	1.00	В	
	ATOM	4997	CA			-7.702	-1.352	24.244	1.00	1.00	В	
60				PHE I		-6.698	-1.155	25.300	1.00	1.00	. В	
00		4998	-CB-		3×1278		-1.432					and the same of th
	MOTA	4999	CG	PHE I		-8.431	-0.459	27.021	1.00	1.00	В	
	MOTA	5000		PHE E		-8.142	0.882	27.268	1.00	1.00	B	
	ATOM	5001		PHE E		-9.760	-0.869	27.021	1.00	1.00	В	
65	MOTA	5002		PHE E		-9.177	1.816	27.508	1.00	1.00	В	
05	MOTA	.5003		PHE E		-10.795	0.052	27.258	1.00	1.00	В	
	MOTA	5004	CZ	PHE E		-10.496	1.391	27.500	1.00	1.00	В	
•	MOTA	5005	C	PHE E		-5.403	-1.957	25.131	1.00	1.00	В	
	MOTA	5006	0	PHE E	3 278	-4.356	~1.582	25.677	1.00	1.00	В	
70	MOTA	5332	N	ASN E	3 320	0.635	-2.143	27.431	1.00	1.00	В	
70	MOTA	5333	CA	ASN E		0.051	-1.983	26.158	1.00	1.00	В	
•	ATOM	5334	CB	ASN E		-0.055	-0.504	25.796	1.00	1.00	В	
	ATOM	5335	CG	ASN E		-0.561	-0.259	24.407	1.00	1.00	В	
	MOTA	5336	CODI	ASN E		-0.226	-0.997	23.481	1.00	1.00	В	
7.5	MOTA	5337		ASN E		-1.362	0.791	24.242	1.00	1.00	В	
75	ATOM	5338	C	ASN E		0.927	-2.745	25.249	1.00	1.00	В	•
	ATOM	5339	0	ASN E		2.093	-2.350	25.102	1.00	1.00	В	
	ATOM	5353		TYR B			-0 853		1.00	1.00	D D	

			-										
	ATOM	5354	CA	TYR	R 3	23	4.110	-0.088	22.908	1.00	1.00		В
•	ATOM	5355	СВ	TYR			3.878	0.590	24.259	1.00	1.00		В
			CG	TYR			2.813	1.668	24.294	1.00	1.00		В
	MOTA	5356									1.00		В
<b>-</b> `	MOTA	5357		TYR			2.397	2.314	23.127	1.00			
5	ATOM	5358		TYR			1.458	3.374	23.170	1.00	1.00		В
	MOTA	5359		TYR			2.284	2.093	25.509	1.00	1.00		В
	ATOM	5360	CE2	TYR	B 3	23	1.354	3.166	25.567	1.00	1.00		В
	ATOM	5361	CZ	TYR	B 3	23	0.957	3.790	24.399	1.00	1.00		В
	MOTA	5362	OH	TYR	B 3	23	0.112	4.886	24.453	1.00	1.00		В
.10	ATOM	5363	C	TYR			5.327	-1.018	23.041	1.00	1.00	-	В
.10	ATOM	5364	ō	TYR			6.468	-0.646	22.726	1.00	1.00		В .
•									39.291	1.00	1.00		В
	MOTA	5519	N	VAL			3.837	-1.100					В
	MOTA	5520	CA	VAL			3.324	0.227	39.030	1.00	1.00		
	ATOM	5521	CB	VAL			2.676	0.818	40.318	1.00	1.00		В
15	MOTA	5522	CG1	VAL	в 3	44	1.474	-0.026	40.725	1.00	1.00		В
	ATOM	5523	CG2	VAL	B 3	44	3.687	0.847	41.456	1.00	1.00		В
	ATOM	5524	С	VAL	B 3	44	4.405	1.163	38.512	1.00	1.00		В
	MOTA	5525	0	VAL			4.199	2.365	38.405	1.00	1.00		В
	ATOM	5532	N	SER			7.618	2.153	35.615		21.53		В
20	ATOM	5533	CA	SER			8.060	2.002	34.239		21.50		В
20											21.47		В
	MOTA	5534	CB	SER			8.655	3.320	33.722				
	MOTA	5535	OG	SER			9.793	3.703	34.474		26.08		В
	ATOM	5536	С	SER	в 3	46	9.107	0.914	34.106		20.70		В
	ATOM	5537	0	SER	B 3	46	9.755	0.521	35.078	1.00	21.55		В
25	ATOM	5632	N	VAL	в 3	60	11.730	3.546	27.545	1.00	1.00		В
	ATOM	5633	CA	VAL	в 3	60	11.023	3.501	28.812	1.00	1.00		B
	MOTA	5634	CB	VAL			11.276	4.794	29.641	1.00	1.00		В
	MOTA	5635		VAL			10.448	4.742	30.934	1.00	1.00		В
				VAL			12.753	4.923	29.937	1.00	1.00		В
20	ATOM	5636								1.00	1.00		В
30	MOTA	5637	C	VAL			9.562	3.381	28.501				
	ATOM	5638	0	VAL			9.008	4.188	27.753	1.00	1.00		В
	MOTA	5639	N	VAL		61	8.905	2.372	29.069		19.72		В
	MOTA	5640	CA	VAL	B 3	61	7.488	2.188	28.831		18.92		В
	MOTA	5641	CB	VAL	<b>B</b> 3	61	7.216	0.872	2B.069	1.00	18.99		В
35	ATOM	5642	CGl	VAL	вз	61	5.743	0.769	27.716	1.00	18.31		В
	ATOM	5643		VAL		61	8.065	0.839	26.786	1.00	17.76		В
	ATOM	5644	C	VAL		61	6.793	2.100	30.167		19.47		В
	MOTA	5645	Ö	VAL		61	7.232	1.362	31.038		16.90		В
				MET		62	5.737	2.885	30.318	1.00	1.00		В
40	MOTA	5646	N										В
40	ATOM	5647	CA	MET		62	4.962	2.882	31.540	1.00	1.00		
	MOTA	5648	CB	MET		62	4.226	4.206	31.682	1.00	1.00		В
	MOTA	5649	CG	MET	B 3	62	3.918	4.589	33.122	1.00	1.00		В
	ATOM	5650	SD	MET	<b>B</b> 3	62	5.405	4.806	34.163	1.00	1.00		В
	MOTA	5651	CB	MET	B 3	62	4.575	4.880	35.731	1.00	1.00		3
45	ATOM	5652	С	MET	в 3	62	3.949	1.731	31.471	1.00	1.00		В
	ATOM	5653	0	MET		62	3.385	1.438	30.410	1.00	1.00		В
	ATOM	5654	N	PRO		63	3.698	1.069	32.599	1.00	1.00		В
	MOTA	5655	CD	PRO			4.521	1.025	33.818	1.00	1.00		В
		5656	CA	PRO		63	2.729	-0.038	32.579	1.00	1.00		В
50	ATOM			PRO		63	3.155	-0.883	33.776	1.00	1.00		В
50	ATOM	5657	CB								1.00		В
	ATOM	5658	CG	PRO		63	3.665	0.160	34.754	1.00			В
	MOTA	5659	С	PRO		63	1.272	0.395	32.672	1.00	1.00		
	ATOM	5660	0	PRO			0.959	1.574	32.811	1.00	1.00		В
	MOTA	5661	N	MET	B 3	64	0.368	-0.568	32.537	1.00	1.0p		В
55	MOTA	5662	CA	MET	в 3	64	-1.037	-0.272	32.674	1.00			В
	ATOM	5663	CB	MET	B 3	64	-1.780	-0.391	31.332	1.00	1.00		В
	ATOM	5664	CG	MET	B 3	64	-1.636	-1.670	30.56B	1.00	1.00		В
	MOTA	5665	SD	MET	В 3	64	-2.386	-1.510	28.872	1.00	1.00		В
	ATOM	5666	CE	MET			-4.155	-1.253	29.308	1.00	1.00		В
- 60	ATOM-						1.602						B
00				MET			-0.999	-2.251	34.035	1.00			B
	ATOM	5668	0						34.307				В
	MOTA	5669	N	ARG			-2.732	-0.836		1.00			
	MOTA	5670	CA	ARG			-3.383	-1.655	35.324	1.00			В
	MOTA	5671	CB	ARG	в 3	65	-4.029	-0.756	36.394	1.00			В
65	ATOM	5672	CG	ARG	в 3	65	-4.785	-1.490	37.505	1.00	1.00		В
	ATOM	5673	CD	ARG	B 3	65	-3.859	-2.316	38.398	1.00	1.00		В
	MOTA	5674	NE	ARG	в 3	65	-4.571	-2.956	39.505	1.00	1.00		В
	ATOM	5675	CZ	ARG			-3.984	-3.707	40.434	1.00			В
	ATOM	5676		ARG			-2.678	-3.913	40.385	1.00			В
70										1.00			В
7 0	MOTA	5677		ARG			-4.698	-4.247	41.418				B
	ATOM	5678	C	ARG			-4.459	-2.492		1.00			
	MOTA	5679	0	ARG			-5.449	-1.961	34.150	1.00			В
	MOTA	5680	N	PEA	в 3	66	-4.267	-3.801	34 <i>.</i> 60 <i>9</i>		41.59		В
	MOTA	5681	CA	LEU	в 3	66	-5.272	-4.665	33.996	1.00	44.25		В
75	ATOM	5682	CB	LEU	B 3	66	-4.615	-5.908	33.366	1.00	45.24		В
-	MOTA	5683	CG	LEU			-3.640	-5.701	32.202		45.46		В
				LEU			-4.331	-5.029	31.031		47.09		В
	ATOM	5684	בעב	ue∪	9 3		331	-3.029	J UJI	4.00	- · · · · ·		_

65

	MOTA	5685	CE	2 LEU	B 366	-2.48	9 -4.856	32.678	3 00	46.71	В		
	ATOM	5686	5 C	LEU	B 366	-6.26				45.55	В		
	MOTA	5687		LEU		-6.42				46.32	В		
5	ATOM	5688		T LEU		-6.86	8 -4.169			46.33	В		
ے	MOTA	5689				-5.66		32.737	0.76	1.00	C		
	MOTA MOTA	5690		_		-7.07			0.76	1.00	C		
	ATOM	5691 5692				-7.74			0.76	1.00	С		
	ATOM	5693				-8.72			0.76	1.00	C		
10	ATOM	5694		1 ARG		-9.99			0.76	1.00	C		
	ATOM	5695		2 ARG		-10.46 -10.77		30.582	0.76	1.00	C		
	ATOM	5696		ARG		-4.10			0.76	1.00	C		
	ATOM	5697			C 10	-3.27		32.497 33.369	0.76 0.76	1.00	C		
	MOTA	5698	N	ARG		-6.41		31.464	0.76	1.00	C		
15	ATOM	5699	CA	ARG		-5.58		32.625	0.76	1.00	a, a		
	MOTA	5700	N	GLN	C 11	-3:80		31.408	0.76	1.00	C		
	ATOM	5701	CA		C 11	-2.458		31.094	0.76	1.00	C		
	ATOM	5702	CB	GLN		-2.423		29.662	0.76	1.00	č		
20	ATOM	5703	CG	GLN		-1.047	7 4.361	29.231	0.76	1.00	č		
20	ATOM	5704	CD	GLN		-0.039		29.174	0.76	1.00	č		
	ATOM ATOM	5705	OE:		C 11	-0.263		28.494	0.76	1.00	C		
	ATOM	5706		GLN S		1.082		29.876	0.76	1.00	С		
	ATOM	5707 5708	0	GLN		-1.895		32.038	0.76	1.00	C	*	
25	ATOM	5709	N	GLN LEU		-2.494		32.217	0.76	1.00	C		
	ATOM	5710	CA	LEU		-0.732	_	32.618	0.76	1.00	C		
	ATOM	5711	CB.	LEU		-0.065		33.519	0.76	1.00	C		
	ATOM	5712	CG	LEU		0.754 -0.036		34.561	0.76	1.00	C		
	ATOM	5713		LEU (		0.907		35.450	0.76	1.00	C		
30	MOTA	5714	CD2			-1.184		36.468	0.76	1.00	c		
	MOTA	5715	C	LEU (		0.845		36.153 32.680	0.76	1.00	C	-	
	ATOM	5716	0	LEU (		1.111		31.510	0.76 0.76	1.00	C		
	ATOM	5717	N	VAL		1.317		33.273	0.76	1.00	C	-	
25	MOTA	5718	CA	VAL (	C . 13	2.166		32.543	0.76	1.00	C .		
35	ATOM	5719	CB	VAL (	2 13	1.473		32.386	0.76	1.00	c		
	MOTA	5720		VAL (		0.217		31.523	0.76	1.00	c		
	MOTA	5721		VAL (		1.113	9.929	33.750	0.76	1.00	č		
	ATOM	5722	C	VAL (		3.542	8.211	33.174	0.76	1.00	Č		
40	ATOM	5723	0	VAL (		3.740	8.050	34.381	0.76	1.00	C		
40	ATOM ATOM	5724	N	LEU (		4.498	8.596	32.339	0.76	1.00	. С		
	ATOM	5725 5726	CA	LEU (		5.860	8.846	32.803	0.76	1.00	C		
	ATOM	5725 5727	CG	LEU (		6.836	8.819	31.619	0.76	1.00	С		
	ATOM	5728	CD1			6.972	7.481	30.889	0.76	1.00	С		
45	ATOM	5729		LEU C		7.666 7.744	7.705	29.557	0.76	1.00	C		
	ATOM	5730	C	LEU		6.010	6.495	31.769	0.76	1.00	C		
	ATOM	5731	ō	LEU C		5.238	10.186 11.126	33.517	0.76	1.00	C		
	ATOM	5732	N	GLY C		7.000	10.263	33.284 34.396	0.76	1.00	C		
<b>50</b>	MOTA	5733	CA	GLY C		7.264	11.510	35.090	0.76 0.76	1.00	C		
50	MOTA	5734	C	GLY C		8.263	12.275	34.234	0.76	1.00	C C		
	MOTA	5735	0	GLY C		9.472	12.210	34.462	0.76	1.00	C		
	MOTA	5736	N	LEU C	16	7.750	12.995	33.241	0.76	1.00	C		
	ATOM	5737	CA	TEA C		8.576	13.756	32.306	0.76	1.00	C		
55	ATOM	5738	CB	TEA C		7.732	14.157	31.094	0.76	1.00	Č		
J J	ATOM	5739	CG	TEA C		7.258	12.955	30.269	0.76	1.00	Ċ		
	ATOM	5740				6.303	13.411	29.171	0.76	1.00	c		
	ATOM	5741		LEU C		8.467	12.233	29.690	0.76	1.00	C		
	ATOM ATOM	5742 5743	C	LEU C		9.263	14.982	32.898	0.76	1.00	С		
60	ATOM	5743 5744	O OXT	TEA C		10.182	15.515	32.231	0.76	1.00	С		
<u></u>	END	J/77	207.1	شون ر	16	_ 8_870	15.398	34.009	076	-1.00	 C		-

wherein atoms 4045 to 5688 represent the peptide binding site and atoms 5689 to 5748 represent the peptide.

6. A method to obtain a protein crystal as defined in claims 1 to 5, comprising the following steps:

- mixing a solution of processivity clamp factor of DNA polymerase, with a solution of a peptide of about 3 to about 30 amino acids, in particular of

- letting the crystallisation drop concentrate against a solution of MES pH 6.0 0.1 M, CaCl<sub>2</sub> 0.1 M, PEG 400 30%, by vapour diffusion, to obtain a protein crystal.

10

5

7. A method according to claim 6, wherein the processivity clamp factor of DNA polymerase is the  $\beta$  subunit of DNA polymerase, in particular the  $\beta$  subunit of DNA polymerase III of *Escherichia coli*, and the peptide has the following sequence:

## VTLLDPQMERQLVLGL (SEQ ID NO: 1).

15

8. The use of the atomic coordinates as defined in claims 4 and 5, for the screening, the design or the modification of ligands of the processivity clamp factor of DNA polymerase, in particular of the  $\beta$  subunit of DNA polymerase, in particular the  $\beta$  subunit of DNA polymerase III of *Escherichia coli*.

20

9. The use according to claim 8, for the screening, the design or the modification of ligands liable to be used for the preparation of pharmaceutical compositions useful for the treatment of bacterial diseases or diseases originating from DNA synthesis processes, such as fragile X syndrome, or proliferative disorders, such as cancers.

25

30

10. A method to screen ligands of the processivity clamp factor of DNA polymerase, said method comprising the step of assessing the interaction of tridimensional models of the ligands to screen with the structure of the β subunit of DNA polymerase as defined by the atomic coordinates according to claim 4, and in particular with the structure of the peptide binding site as defined by the atomic coordinates according to claim 5, and more particularly with at least nine of the following amino acids: Leu 155, Thr 172, Gly 174, His 175, Arg 176, Leu 177, Pro 242,

BEST AVAILABLE COPY

5

10

15

20

25

30

Arg 246, Val 247, Phe 278, Asn 320, Tyr 323, Val 344, Ser 346, Val 360, Val 361, Met 362, Pro 363, Met 364, Arg 365, Leu 366.

- 11. A method according to claim 10, to screen ligands liable to be used for the preparation of pharmaceutical compositions useful for the treatment of bacterial diseases or diseases originating from DNA synthesis processes, such as fragile X syndrome, or proliferative disorders, such as cancers.
- 12. A method to design or to modify compounds liable to bind to the processivity clamp factor of DNA polymerase, said method comprising the step of designing or modifying a compound, so that the tridimensional model of said compound is liable to interact with the structure of the β subunit of DNA polymerase as defined by the atomic coordinates according to claim 4, and in particular with the structure of the peptide binding site as defined by the atomic coordinates according to claim 5, and more particularly with at least nine of the following amino acids: Leu 155, Thr 172, Gly 174, His 175, Arg 176, Leu 177, Pro 242, Arg 246, Val 247, Phe 278, Asn 320, Tyr 323, Val 344, Ser 346, Val 360, Val 361, Met 362, Pro 363, Met 364, Arg 365, Leu 366.
- 13. A method according to claim 12, to design or to modify ligands liable to be used for the preparation of pharmaceutical compositions useful for the treatment of bacterial diseases or diseases originating from DNA synthesis processes, such as fragile X syndrome, or proliferative disorders, such as cancers.

# 14. A peptide of the following sequence: VTLLDPQMERQLVLGL (SEQ ID NO: 1).

- 15. A pharmaceutical composition comprising as active substance the peptide of claim 14 in association with a pharmaceutically acceptable carrier.
  - 16. The use of the peptide of claim 14 as an anti-bacterial compound.
- 17. The use of the peptide of claim 14 for the manufacture of a medicament for the treatment of bacterial diseases or diseases originating from DNA synthesis processes, such as fragile X syndrome, or of proliferative disorders, such as cancers.

- 18. A method to test *in vitro* the inhibitory effect of compounds on the processivity clamp factor-dependant activity of DNA polymerase, in particular of Pol IV DNA polymerase of *Escherichia. coli*, or of the α subunit of Pol III DNA polymerase of *Escherichia coli*, comprising the following steps:
- adding to assay solutions comprising a labelled nucleotidic primer, a template DNA, and DNA polymerase, in particular Pol IV DNA polymerase of *Escherichia coli*, or the  $\alpha$  subunit of Pol III DNA polymerase of *Escherichia coli*, a compound to test at a given concentration for each assay solution, in the presence or the absence of the processivity clamp factor of DNA polymerase, in particular the  $\beta$  subunit of DNA polymerase, in particular the  $\beta$  subunit of DNA polymerase III of *Escherichia coli*.
  - electrophoretically migrating the abovementioned assay solutions,
- comparing the migration pattern of each assay solutions in the presence or the absence of the processivity clamp factor of DNA polymerase, in particular the  $\beta$  subunit of DNA polymerase, in particular the  $\beta$  subunit of DNA polymerase III of *Escherichia coli*.
- 19. The use of a method according to claim 18, for the screening of compounds liable to be used for the preparation of pharmaceutical compositions useful for the treatment of bacterial diseases or diseases originating from DNA synthesis processes, such as fragile X syndrome, or proliferative disorders, such as cancers.

20

15

5

10